

Lecture 16

Spatial Data and Cartography (Part 2)

3/22/2018

Plotting

Example Data - NC SIDS

```
nc = st_read(system.file("shape/nc.shp", package="sf"), quiet = TRUE) %>%  
  select(-(AREA:CNTY_ID), -(FIPS:CRESS_ID))
```







```
tbl_df(nc)
```

```
## # A tibble: 100 x 8
```

```
##   NAME BIR74 SID74 NWBIR74 BIR79 SID79 NWBIR79 geometry  
##   <fct> <dbl> <dbl> <dbl> <dbl> <dbl> <dbl> <sf_geometry [degree]>  
## 1 Ashe 1091. 1. 10. 1364. 0. 19. MULTIPOLYGON (((-81.4727~  
## 2 Alle~ 487. 0. 10. 542. 3. 12. MULTIPOLYGON (((-81.2398~  
## 3 Surry 3188. 5. 208. 3616. 6. 260. MULTIPOLYGON (((-80.4563~  
## 4 Curr~ 508. 1. 123. 830. 2. 145. MULTIPOLYGON (((-76.0089~  
## 5 Nort~ 1421. 9. 1066. 1606. 3. 1197. MULTIPOLYGON (((-77.2176~  
## 6 Hert~ 1452. 7. 954. 1838. 5. 1237. MULTIPOLYGON (((-76.7450~  
## 7 Camd~ 286. 0. 115. 350. 2. 139. MULTIPOLYGON (((-76.0089~  
## 8 Gates 420. 0. 254. 594. 2. 371. MULTIPOLYGON (((-76.5625~  
## 9 Warr~ 968. 4. 748. 1190. 2. 844. MULTIPOLYGON (((-78.3087~  
## 10 Stok~ 1612. 1. 160. 2038. 5. 176. MULTIPOLYGON (((-80.0256~  
## # ... with 90 more rows
```


Base Plots

`plot(nc)`




Geometry Plot

```
plot(st_geometry(nc), axes=TRUE)
```




Graticules

```
plot(nc[, "SID79"], graticule=st_crs(nc), axes=TRUE)
```



Graticules (EPSG:3631)


```
plot(st_transform(nc[, "SID79"], 3631), graticule=st_crs(nc), axes=TRUE)
```



ggplot2 (dev)


```
devtools::install_github("tidyverse/ggplot2")
```

```
ggplot(nc) +  
  geom_sf(aes(fill=SID79))
```



ggplot2 + projections

```
ggplot(st_transform(nc, 3631)) +  
  geom_sf(aes(fill=SID79 / BIR79))
```



Example Data - Meuse

```
data(meuse, meuse.riv, package="sp")
```

```
meuse = st_as_sf(meuse, coords=c("x", "y"), crs=28992)
```

```
meuse_riv = st_polygon(list(meuse.riv)) %>% st_sfc() %>% st_set_crs(28992)
```

```
tbl_df(meuse)
```

```
## # A tibble: 155 x 13
```

```
##   cadmium copper lead zinc elev dist om ffreq soil lime  
## *   <dbl> <dbl> <dbl> <dbl> <dbl> <dbl> <dbl> <fct> <fct> <fct>  
## 1  11.7    85.  299. 1022.  7.91 0.00136 13.6 1 1 1  
## 2   8.60   81.  277. 1141.  6.98 0.0122 14.0 1 1 1  
## 3   6.50   68.  199.  640.  7.80 0.103 13.0 1 1 1  
## 4   2.60   81.  116.  257.  7.66 0.190  8.00 1 2 0  
## 5   2.80   48.  117.  269.  7.48 0.277  8.70 1 2 0  
## 6   3.00   61.  137.  281.  7.79 0.364  7.80 1 2 0  
## 7   3.20   31.  132.  346.  8.22 0.190  9.20 1 2 0  
## 8   2.80   29.  150.  406.  8.49 0.0922  9.50 1 1 0  
## 9   2.40   37.  133.  347.  8.67 0.185 10.6 1 1 0  
## 10  1.60   24.   80.  183.  9.05 0.310  6.30 1 2 0  
## # ... with 145 more rows, and 3 more variables: landuse <fct>,  
## #   dist.m <dbl>, geometry <sf_geometry [m]>
```

Meuse

```
plot(meuse, pch=16)
```

cadmium




copper




lead



zinc




elev



dist




om



ffreq



soil




lime




Layering plots

```
plot(meuse[, "lead"], pch=16, axes=TRUE)  
plot(meuse_riv, col=adjustcolor("lightblue", alpha.f=0.5), add=TRUE, border = NA)
```




Layering plots (oops)

```
plot(meuse, pch=16)  
plot(meuse_riv, col=adjustcolor("lightblue", alpha.f=0.5), add=TRUE, border = NA)
```



```
ggplot() +  
  geom_sf(data=st_sf(meuse_riv), fill="lightblue", color=NA) +  
  geom_sf(data=meuse, aes(color=lead), size=1)
```




ggplot2 - axis limits

```
ggplot() +  
  geom_sf(data=st_sf(meuse_riv), fill="lightblue", color=NA) +  
  geom_sf(data=meuse, aes(color=lead), size=1) +  
  ylim(50.95, 50.99)
```




ggplot2 - axis limits

```
ggplot() +  
  geom_sf(data=st_sf(meuse_riv), fill="lightblue", color=NA) +  
  geom_sf(data=meuse, aes(color=lead), size=1) +  
  ylim(329714, 333611)
```



ggplot2 - bounding box

```
ggplot() +  
  geom_sf(data=st_sf(meuse_riv), fill="lightblue", color=NA) +  
  geom_sf(data=meuse, aes(color=lead), size=1) +  
  ylim(st_bbox(meuse)["ymin"], st_bbox(meuse)["ymax"])
```



Geometry Manipulation

Casting


```
nc_pts = st_cast(nc, "MULTIPOINT")
```

```
tbl_df(nc_pts)
```

```
## # A tibble: 100 x 8
```

```
##   NAME  BIR74  SID74  NWBIR74  BIR79  SID79  NWBIR79  geometry  
## * <fct> <dbl> <dbl>   <dbl> <dbl> <dbl>   <dbl>   <sf_geometry [degree]>  
## 1 Ashe  1091.    1.     10.  1364.    0.     19.  MULTIPOINT (-81.47276 36~  
## 2 Alle~  487.    0.     10.   542.    3.     12.  MULTIPOINT (-81.23989 36~  
## 3 Surry 3188.    5.     208. 3616.    6.    260.  MULTIPOINT (-80.45634 36~  
## 4 Curr~  508.    1.     123.  830.    2.     145.  MULTIPOINT (-76.00897 36~  
## 5 Nort~ 1421.    9.    1066. 1606.    3.   1197.  MULTIPOINT (-77.21767 36~  
## 6 Hert~ 1452.    7.     954. 1838.    5.   1237.  MULTIPOINT (-76.74506 36~  
## 7 Camd~  286.    0.     115.  350.    2.     139.  MULTIPOINT (-76.00897 36~  
## 8 Gates  420.    0.     254.  594.    2.     371.  MULTIPOINT (-76.56251 36~  
## 9 Warr~  968.    4.     748. 1190.    2.     844.  MULTIPOINT (-78.30876 36~  
## 10 Stok~ 1612.    1.     160. 2038.    5.     176.  MULTIPOINT (-80.02567 36~  
## # ... with 90 more rows
```


```
plot(st_geometry(nc), border='grey')  
plot(st_geometry(nc_pts), pch=16, cex=0.5, add=TRUE)
```



Casting - POINT

```
st_cast(nc, "POINT")
## Simple feature collection with 2529 features and 7 fields
## geometry type: POINT
## dimension: XY
## bbox: xmin: -84.32385 ymin: 33.88199 xmax: -75.45698 ymax: 36.58965
## epsg (SRID): 4267
## proj4string: +proj=longlat +datum=NAD27 +no_defs
## First 10 features:
##      NAME BIR74 SID74 NWBIR74 BIR79 SID79 NWBIR79 geometry
## 1 Ashe 1091 1 10 1364 0 19 POINT (-81.47276 36.23436)
## 2 Ashe 1091 1 10 1364 0 19 POINT (-81.54084 36.27251)
## 3 Ashe 1091 1 10 1364 0 19 POINT (-81.56198 36.27359)
## 4 Ashe 1091 1 10 1364 0 19 POINT (-81.63306 36.34069)
## 5 Ashe 1091 1 10 1364 0 19 POINT (-81.74107 36.39178)
## 6 Ashe 1091 1 10 1364 0 19 POINT (-81.69828 36.47178)
## 7 Ashe 1091 1 10 1364 0 19 POINT (-81.7028 36.51934)
## 8 Ashe 1091 1 10 1364 0 19 POINT (-81.67 36.58965)
## 9 Ashe 1091 1 10 1364 0 19 POINT (-81.3453 36.57286)
## 10 Ashe 1091 1 10 1364 0 19 POINT (-81.34754 36.53791)
```


```
plot(st_geometry(nc), border='grey')  
plot(st_geometry(st_cast(nc, "POINT")), pch=16, cex=0.5, add=TRUE)
```



Casting - LINESTRING


```
st_cast(nc, "MULTILINESTRING") %>% as_tibble()
## # A tibble: 100 x 8
##   NAME BIR74 SID74 NWBIR74 BIR79 SID79 NWBIR79 geometry
## * <fct> <dbl> <dbl> <dbl> <dbl> <dbl> <dbl> <sf_geometry>
## 1 Ashe 1091. 1. 10. 1364. 0. 19. MULTILINESTRING st((-81~
## 2 Alle~ 487. 0. 10. 542. 3. 12. MULTILINESTRING st((-81~
## 3 Surry 3188. 5. 208. 3616. 6. 260. MULTILINESTRING st((-80~
## 4 Curr~ 508. 1. 123. 830. 2. 145. MULTILINESTRING st((-76~
## 5 Nort~ 1421. 9. 1066. 1606. 3. 1197. MULTILINESTRING st((-77~
## 6 Hert~ 1452. 7. 954. 1838. 5. 1237. MULTILINESTRING st((-76~
## 7 Camd~ 286. 0. 115. 350. 2. 139. MULTILINESTRING st((-76~
## 8 Gates 420. 0. 254. 594. 2. 371. MULTILINESTRING st((-76~
## 9 Warr~ 968. 4. 748. 1190. 2. 844. MULTILINESTRING st((-78~
## 10 Stok~ 1612. 1. 160. 2038. 5. 176. MULTILINESTRING st((-80~
## # ... with 90 more rows
```

```
st_cast(nc, "MULTILINESTRING") %>% st_geometry() %>% plot()
```



Grouping Features

```
nc_state = st_union(nc)
plot(nc_state)
```



```
nc_state
## Geometry set for 1 feature
## geometry type: MULTIPOLYGON
## dimension: XY
## bbox: xmin: -84.32385 ymin: 33.88199 xmax: -75.45698 ymax: 36.58965
## epsg (SRID): 4267
## proj4string: +proj=longlat +datum=NAD27 +no_defs
## MULTIPOLYGON (((-76.54427 34.58783, -76.55515 3...
```

More Grouping

```
nc_cut = nc %>%  
  mutate(X = st_centroid(nc) %>% st_coordinates() %>% .[,1]) %>%  
  mutate(region = cut(X, breaks = 5))
```


```
nc_cut  
## Simple feature collection with 100 features and 9 fields  
## geometry type: MULTIPOLYGON  
## dimension: XY  
## bbox: xmin: -84.32385 ymin: 33.88199 xmax: -75.45698 ymax: 36.58965  
## epsg (SRID): 4267  
## proj4string: +proj=longlat +datum=NAD27 +no_defs  
## First 10 features:  
##
```

##	NAME	BIR74	SID74	NWBIR74	BIR79	SID79	NWBIR79	X
## 1	Ashe	1091	1	10	1364	0	19	-81.49826
## 2	Alleghany	487	0	10	542	3	12	-81.12515
## 3	Surry	3188	5	208	3616	6	260	-80.68575
## 4	Currituck	508	1	123	830	2	145	-76.02750
## 5	Northampton	1421	9	1066	1606	3	1197	-77.41056
## 6	Hertford	1452	7	954	1838	5	1237	-76.99478
## 7	Camden	286	0	115	350	2	139	-76.23435
## 8	Gates	420	0	254	594	2	371	-76.70448
## 9	Warren	968	4	748	1190	2	844	-78.11043
## 10	Stokes	1612	1	160	2038	5	176	-80.23428

```
##
```


##	region	geometry
## 1	(-82.4,-80.8]	MULTIPOLYGON (((-81.47276 3...
## 2	(-82.4,-80.8]	MULTIPOLYGON (((-81.23989 3...
## 3	(-80.8,-79.1]	MULTIPOLYGON (((-80.45634 3...
## 4	(-77.5,-75.8]	MULTIPOLYGON (((-76.00807 2...

```
ggplot(nc_cut) +  
  geom_sf(aes(fill=region))
```



dplyr and sf

```
nc_cut %>%  
  group_by(region) %>%  
  summarize() %>%  
  ggplot() +  
    geom_sf(aes(fill=region))
```




Affine Transformations

```
rotate = function(a) matrix(c(cos(a), sin(a), -sin(a), cos(a)), 2, 2)  
  
ctrd = st_centroid(nc_state)  
state_rotate = (nc_state - ctrd) * rotate(-pi/4) + ctrd  
plot(state_rotate, axes=TRUE)
```



Scaling Size


```
ctrd = st_centroid(st_geometry(nc))  
area = st_area(nc) %>% strip_attr()  
  
nc_rot = nc  
st_geometry(nc_rot) = (st_geometry(nc) - ctrd) * rotate(pi/2) * .5 + ctrd  
  
plot(nc_rot[, "SID79"])
```



Highway Example

Highways


```
hwy = st_read("../data/gis/us_interstates/", quiet=TRUE, stringsAsFactors=FALSE) %>% s  
  
ggplot() +  
  geom_sf(data=nc) +  
  geom_sf(data=hwy, col='red')
```



NC Interstate Highways


```
hwy_nc = st_intersection(hwy, nc)
## although coordinates are longitude/latitude, st_intersection assumes that they are

ggplot() +
  geom_sf(data=nc) +
  geom_sf(data=hwy_nc, col='red')
```




Counties near the interstate (Projection)

```
nc_utm = st_transform(nc, "+proj=utm +zone=17 +datum=NAD83 +units=m +no_defs")  
  
ggplot() +  
  geom_sf(data=nc_utm) +  
  geom_sf(data=hwy_nc, col='red')
```




Counties near the interstate (Buffering)

```
hwy_nc_buffer = hwy_nc %>%  
  st_transform("+proj=utm +zone=17 +datum=NAD83 +units=m +no_defs") %>%  
  st_buffer(10000)  
  
ggplot() +  
  geom_sf(data=nc_utm) +  
  geom_sf(data=hwy_nc, color='red') +  
  geom_sf(data=hwy_nc_buffer, fill='red', alpha=0.3)
```



Counties near the interstate (Buffering + Union)

```
hwy_nc_buffer = hwy_nc %>%  
  st_transform("+proj=utm +zone=17 +datum=NAD83 +units=m +no_defs") %>%  
  st_buffer(10000) %>%  
  st_union() %>%  
  st_sf()  
  
ggplot() +  
  geom_sf(data=nc_utm) +  
  geom_sf(data=hwy_nc, color='red') +  
  geom_sf(data=hwy_nc_buffer, fill='red', alpha=0.3)
```



Example

How many counties in North Carolina are within 5, 10, 20, or 50 km of an interstate highway?

Example

How many counties in North Carolina are within 5, 10, 20, or 50 km of an interstate highway?

Gerrymandering Example

2014 NC House Districts

```
nc_house = st_read("../data/nc_districts114.shp", stringsAsFactors = FALSE,  
  select(ID, DISTRICT))
```


```
tbl_df(nc_house)
```

```
## # A tibble: 13 x 3
```

```
##   ID          DISTRICT          geometry  
##   <chr>        <chr>          <sf_geometry [degree]>  
## 1 037113114002 2          MULTIPOLYGON (((-80.05325 3...  
## 2 037113114003 3          MULTIPOLYGON (((-75.52398 3...  
## 3 037113114004 4          MULTIPOLYGON (((-79.47249 3...  
## 4 037113114001 1          MULTIPOLYGON (((-76.68697 3...  
## 5 037113114005 5          MULTIPOLYGON (((-81.91805 3...  
## 6 037113114006 6          MULTIPOLYGON (((-80.97462 3...  
## 7 037113114007 7          MULTIPOLYGON (((-79.37719 3...  
## 8 037113114008 8          MULTIPOLYGON (((-80.72606 3...  
## 9 037113114009 9          MULTIPOLYGON (((-81.10803 3...  
## 10 037113114010 10         MULTIPOLYGON (((-82.6516 35...  
## 11 037113114011 11         MULTIPOLYGON (((-84.3218 34...  
## 12 037113114012 12         MULTIPOLYGON (((-80.97461 3...  
## 13 037113114013 13         MULTIPOLYGON (((-78.87711 3...
```




```
nc_house = nc_house %>%  
  st_transform("+proj=utm +zone=17 +datum=NAD83 +units=km +no_defs")  
plot(nc_house[, "DISTRICT"], axes=TRUE)
```



Measuring Compactness - Reock Score


The Reock score is a measure of compactness that is calculated as the ratio of the area of a shape to the area of its minimum bounding circle.

```
circs = nc_house %>% st_geometry() %>% lwgeom::st_minimum_bounding_circle()  
  
sub = nc_house$DISTRICT == 1  
plot(circs[sub])  
plot(nc_house[sub,"DISTRICT"], add=TRUE)
```




```
plot(nc_house[, "DISTRICT"])  
plot(circls, add=TRUE)
```

DISTRICT



Calculating Reock

```
nc_house = nc_house %>%  
  mutate(reock = st_area(nc_house) / st_area(circs))  
plot(nc_house[, "reock"])
```



```
tbl_df(nc_house) %>%  
  arrange(reock) %>%  
  print(n=13)
```

```
## # A tibble: 13 x 4
```

```
##   ID          DISTRICT reock          geometr  
##   <chr>      <chr>    <S3: units>    <sf_geometry [km]  
## 1 037113114012 12      0.0711997215878126 MULTIPOLYGON (((502.31 3899..  
## 2 037113114009 9        0.169405525617443 MULTIPOLYGON (((490.2361 39..  
## 3 037113114004 4        0.1735809490213 MULTIPOLYGON (((637.4776 39..  
## 4 037113114006 6        0.240919191926239 MULTIPOLYGON (((502.2744 40..  
## 5 037113114003 3        0.251285019523225 MULTIPOLYGON (((995.1797 39..  
## 6 037113114011 11       0.264255107593438 MULTIPOLYGON (((196.7812 38..  
## 7 037113114001 1        0.289934134507595 MULTIPOLYGON (((888.2895 40..  
## 8 037113114010 10       0.34012606752961 MULTIPOLYGON (((350.3919 39..  
## 9 037113114008 8        0.353232490504049 MULTIPOLYGON (((524.9335 38..  
## 10 037113114013 13       0.382195549931454 MULTIPOLYGON (((691.9403 39..  
## 11 037113114005 5        0.397082589710882 MULTIPOLYGON (((417.5582 40..  
## 12 037113114007 7        0.414888641986656 MULTIPOLYGON (((648.136 387..  
## 13 037113114002 2        0.425900009492903 MULTIPOLYGON (((585.5425 39..
```

Raster Data

Example data - Meuse

```
meuse_rast = raster(system.file("external/test.grd", package="raster"))
```

```
meuse_rast
```

```
## class      : RasterLayer
```

```
## dimensions : 115, 80, 9200 (nrow, ncol, ncell)
```

```
## resolution : 40, 40 (x, y)
```

```
## extent     : 178400, 181600, 329400, 334000 (xmin, xmax, ymin, ymax)
```


```
## coord. ref.: +init=epsg:28992 +towgs84=565.237,50.0087,465.658,-0.406857,0.350733,
```

```
## data source : /usr/local/lib/R/3.4/site-library/raster/external/test.grd
```

```
## names      : test
```

```
## values     : 128.434, 1805.78 (min, max)
```

```
plot(meuse_rast)  
plot(meuse_riv, add=TRUE, col=adjustcolor("lightblue",alpha.f = 0.5), border=NA)
```



raster class

```
str(meuse_rast)
## Formal class 'RasterLayer' [package "raster"] with 12 slots
## ..@ file      :Formal class '.RasterFile' [package "raster"] with 13 slots
## .. .. ..@ name      : chr "/usr/local/lib/R/3.4/site-library/raster/external/t
## .. .. ..@ datanotation: chr "FLT4S"
## .. .. ..@ byteorder  : Named chr "little"
## .. .. .. ..- attr(*, "names")= chr "value"
## .. .. ..@ nodatavalue : num -3.4e+38
## .. .. ..@ NAchanged   : logi FALSE
## .. .. ..@ nbands     : int 1
## .. .. ..@ bandorder  : Named chr "BIL"
## .. .. .. ..- attr(*, "names")= chr "value"
## .. .. ..@ offset     : int 0
## .. .. ..@ toptobottom : logi TRUE
## .. .. ..@ blockrows  : int 0
## .. .. ..@ blockcols  : int 0
## .. .. ..@ driver     : chr "raster"
## .. .. ..@ open       : logi FALSE
## ..@ data      :Formal class '.SingleLayerData' [package "raster"] with 13 slots
## .. .. ..@ values    : logi(0)
## .. .. ..@ offset    : num 0
## .. .. ..@ gain      : num 1
## .. .. ..@ inmemory  : logi FALSE
## .. .. ..@ fromdisk  : logi TRUE
## .. .. ..@ isfactor  : logi FALSE
## .. .. ..@ attributes: list()
## .. .. ..@ haveminmax: logi TRUE
## .. .. ..@ min       : num 128
```

raster features

```
extent(meuse_rast)
```

```
## class      : Extent  
## xmin       : 178400  
## xmax       : 181600  
## ymin       : 329400  
## ymax       : 334000
```

```
dim(meuse_rast)
```

```
## [1] 115  80  1
```

```
res(meuse_rast)
```

```
## [1] 40 40
```

```
projection(meuse_rast)
```

```
## [1] "+init=epsg:28992 +towgs84=565.237,50.0087,465.658,-0.406857,0.350733,-1.87035,
```



```
meuse_rast[20,]
```

```
## [1]      NA      NA      NA      NA      NA      NA      NA      NA  
## [9]      NA      NA      NA      NA      NA      NA      NA      NA  
## [17]     NA     NA     NA     NA     NA     NA     NA     NA  
## [25]     NA     NA     NA     NA     NA     NA     NA     NA  
## [33]     NA     NA     NA     NA     NA     NA     NA     NA  
## [41]     NA     NA     NA     NA     NA     NA     NA     NA  
## [49]     NA     NA     NA     NA     NA     NA     NA     NA  
## [57]     NA     NA     NA  749.536  895.292  791.145  607.186  511.044  
## [65]  468.404  399.325  350.362  306.180  300.483  310.082  283.940  285.771  
## [73]  304.709  309.690  301.799  308.753  328.357  345.611      NA      NA
```

Rasters and Projections

```
library(rgdal)
meuse_rast_ll = projectRaster(meuse_rast, crs="+proj=longlat +datum=NAD27 +no_defs")

par(mfrow=c(1,2))
plot(meuse_rast)
plot(meuse_rast_ll)
```




```
meuse_rast
## class      : RasterLayer
## dimensions : 115, 80, 9200 (nrow, ncol, ncell)
## resolution : 40, 40 (x, y)
## extent     : 178400, 181600, 329400, 334000 (xmin, xmax, ymin, ymax)
## coord. ref.: +init=epsg:28992 +towgs84=565.237,50.0087,465.658,-0.406857
## data source: /usr/local/lib/R/3.4/site-library/raster/external/test.grd
## names      : test
## values     : 128.434, 1805.78 (min, max)
```

```
meuse_rast_ll
## class      : RasterLayer
## dimensions : 131, 91, 11921 (nrow, ncol, ncell)
## resolution : 0.000569, 0.00036 (x, y)
## extent     : 5.717362, 5.769141, 50.95089, 50.99805 (xmin, xmax, ymin, ymax)
## coord. ref.: +proj=longlat +datum=NAD27 +no_defs +ellps=clrk66 +nadgrids
## data source: in memory
## names      : test
## values     : 135.647, 1693.578 (min, max)
```

Simple Features \longleftrightarrow Rasters

```
meuse_riv_rast = rasterize(meuse_riv, meuse_rast)
## Error in (function (classes, fdef, mtable) : unable to find an inherited method for

meuse_riv_rast = rasterize(as(meuse_riv, "Spatial"), meuse_rast)
plot(meuse_riv_rast)
```



Rasters and Spatial Models

```
head(meuse)
```

```
## Simple feature collection with 6 features and 12 fields
```

```
## geometry type: POINT
```

```
## dimension: XY
```

```
## bbox: xmin: 181025 ymin: 333260 xmax: 181390 ymax: 333611
```

```
## epsg (SRID): 28992
```

```
## proj4string: +proj=sterea +lat_0=52.15616055555555 +lon_0=5.387638888888889 +k=0
```

```
## cadmium copper lead zinc elev dist om freq soil lime landuse
```

```
## 1 11.7 85 299 1022 7.909 0.00135803 13.6 1 1 1 Ah
```

```
## 2 8.6 81 277 1141 6.983 0.01222430 14.0 1 1 1 Ah
```

```
## 3 6.5 68 199 640 7.800 0.10302900 13.0 1 1 1 Ah
```

```
## 4 2.6 81 116 257 7.655 0.19009400 8.0 1 2 0 Ga
```

```
## 5 2.8 48 117 269 7.480 0.27709000 8.7 1 2 0 Ah
```

```
## 6 3.0 61 137 281 7.791 0.36406700 7.8 1 2 0 Ga
```

```
## dist.m geometry
```

```
## 1 50 POINT (181072 333611)
```

```
## 2 30 POINT (181025 333558)
```

```
## 3 150 POINT (181165 333537)
```

```
## 4 270 POINT (181298 333484)
```

```
## 5 380 POINT (181307 333330)
```

```
## 6 470 POINT (181390 333260)
```

```
head(st_coordinates(meuse))
```

```
## X Y
```

```
## 1 181072 333611
```

```
## 2 181025 333558
```

```
## 3 181165 333537
```

```
## 4 181298 333484
```


```
library(fields)
```

```
tps = Tps(x = st_coordinates(meuse), Y=meuse$elev)  
pred_grid = xyFromCell(meuse_rast, seq_along(meuse_rast))
```



```
meuse_elev_pred = meuse_rast  
meuse_elev_pred[] = predict(tps, pred_grid)
```

```
plot(meuse_elev_pred)
```



ggplot and rasters

```
p = rasterToPolygons(meuse_elev_pred) %>% st_as_sf()  
  
(ggplot() + geom_sf(data=meuse, aes(color=elev), size=1)) +  
(ggplot() + geom_sf(data=p, aes(fill=test), color=NA))
```

